	<b>M.A.M. SCHOOL OF ENGINEERING</b>	
	Accredited by NAAC Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai	
	Siruganur, Trichy -621 105.	<a href="http://www.mamse.in">www.mamse.in</a>

### Criteria 4.4.2

### Institution Established to systems and Procedures for Maintaining and Utilizing Physical, Academic and Support Facilities

**ACADEMIC YEAR 2020-2021**

S.No	Description	Page No
	<b>Calibration</b>	
1	Electrical and Communication Engineering	2-23
	Electrical and Electronics Engineering	24-38
	Department of Science and Humanities/Physics	39-40
2	Electrical Maintenance	41-42
3	Computer Lab Maintenance	43-45
4	UPS Maintenance	46-49
5	House Keeping Maintenance	50-60
6	Fire Safety Service License	61
7	Building Structural Stability Certificate	62-74



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.


Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Circuits and Devices Lab  
Name of the Instrument : Analog oscilloscope (30MHz)  
Make : “Scientific”  
Model : SM 410  
Sr.No : 130822248

Date of Issue : 05.04.2021

Approved Signatory

M. Jesuraj  
Chief Executive

AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.


Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Oscilloscope (30MHz)  
Make : "Scientech"  
Model No. : Caddo 801  
Serial No. : 3124915, 3124916, 3124921, 3124924,  
3124977 & 3124982. - 6 nos.

Date of Issue : 05.04.2021

Approved Signatory

M. J. Saraj  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Kerumandebam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.


Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Oscilloscope (30MHz)  
Make : "Vartech"  
Model No. : SS - 5030B  
Quantity : 7nos

Date of Issue : 05.04.2021

Approved Signatory

M. Jesu  
M. Jesu, TRICHY  
Chief Executive

AUTHORISED DEALER FOR







## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH


Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Function Generator (3MHz)  
Make : "Tech Lab"  
Model No. : TFG - 3000  
Serial No. : 185 to196 - 12 nos.

Date of Issue : 05.04.2021

Approved:  Chief Executive

M. Jeyaraj  
Chief Executive

AUTHORISED DEALER FOR



NVIS



Ki Kitek





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Function Generator (3MHz)  
Make : "Scientific"  
Model No. : SM 5070  
Serial No. : 130717093,130717098 &130717103 – 3nos

Date of Issue : 05.04.2021.

Approved Signatory

M. Jeyaraj  
Chief Executive

AUTHORISED DEALER FOR







## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Dual Output Power supply  
Make : "UDAY"  
Quantity : 15 nos.

Date of Issue : 05.04.2021.

Approved Signatory

M. Jesuraj  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Dual Output Power supply  
Make : "UDAY"  
Quantity : 15 nos.

Date of Issue : 05.04.2021.

Approved Signatory

  
M. Jesraj  
Chief Executive

AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.


Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Single Output Power supply (0 – 30V)  
Make : "UDAY"  
Quantity : 15 nos.

Date of Issue : 05.04.2021.

Approved Signatory

  
M. Jesraj  
Chief Executive.

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH


Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Analog Voltmeter AC & DC  
Quantity : 1V - 6nos, 5V - 6nos, 10V- 15nos  
15V - 15nos, 30V- 25nos.  
: 15VAC – 2nos & 30VAC – 2nos.

Date of Issue : 05.04.2021.

Approved  Secretary

M. Jesuraj, TRICHY  
Chief Executive

AUTHORISED DEALER FOR



Scientech



OMEGA  
a SPECIFIC COMPANY



Kitek



Powertronics



PICO



OSAN





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry


### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Circuits and Devices  
Name of the Instrument : Digital Multimeter  
Quantity : 10nos.

Date of Issue : 05.04.2021.

Approved Signatory

  
M. Vessraj  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Digital / LIC Lab.  
Name of the Instrument : Analog Oscilloscope (30MHz)  
Make : "Scientific"  
Model : SM 410  
Sr.No : 130822287, 130822294, 130822303,  
130822305 & 130822310 – 5nos.

Date of Issue : 05.04.2021.

Approved Signatory

M. JESTHA  
Chief Executive

AUTHORISED DEALER FOR







## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Digital / LIC Lab  
Name of the Instrument : Analog Oscilloscope (30MHz)  
Make : “Scientech”  
Model No. : Caddo 801  
Serial No. : 3124915, 3124916, 3124919, 3124926 &  
3124890 – 5 nos.


Date of Issue : 05.04.2021.

Approved Signatory

  
M. Jesuraj  
Chief Executive



AUTHORISED DEALER FOR



Scanned with CamScanner



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Digital / LIC Lab.  
Name of the Instrument : Function Generator (1MHz)  
Make : “Ohm Technologies”  
Model No. : HIQ - 4221  
Quantity : 15nos

Date of Issue : 05.04.2021.

Approved Signatory



AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@ymail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Digital / LIC Lab  
Name of the Instrument : Dual Output Power supply (0 – 30V)  
Make : "TECH LAB"  
Model no. : TPS 950.  
Quantity : 20 nos.

Date of Issue : 05.04.2021.

Approved Signatory

  
M. Jeyaraj  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Digital / LIC Lab  
Name of the Instrument : Single Output Power supply (0 – 30V)  
Make : "TECH LAB"  
Model no. : TPS – LC – 551.  
Quantity : 15 nos.

Date of Issue : 05.04.2021.

Approved Signatory

  
M. Geetha  
Chief Executive.

AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Microprocessor Lab  
Name of the Instrument : Analog Oscilloscope (30MHz)  
Make : "Vartech"  
Model No. : SS – 5030B  
Quantity : 6nos.

Date of Issue : 06.04.2021.

Approved Signatory

M. Jeyapal  
Chief Executive



AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Microprocessor Lab  
Name of the Instrument : Single output Power supply (0 to 30V)  
Make : "PANTECH"  
Quantity : 06nos

Date of Issue : 06.04.2021.

Approved Signatory

M. Desu Raj.  
Chief Engineer,  
Trichy.

AUTHORISED DEALER FOR



Scanned with CamScanner





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Microprocessor Lab  
Name of the Instrument : Multi output Power supply(0 to +/-12V) &30V.  
Make : "PANTECH"  
Serial no. : 1, 6 & 7 – 03nos

Date of Issue : 06.04.2021.

Approved Signatory

M. S. S. S. S.  
Chief Executive Officer

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. – Microprocessor Lab  
Name of the Instrument : Dual Output Power supply (0 -30V) / 3A.  
Make : "Scientific"  
Model no. : PSD 3203  
Serial no. : 13074 - 581,582,583,584,587,588,589,590  
& 591 – 09nos.

Date of Issue : 06.04.2021.

Approved Signatory

M. SUREJ  
Chief Executive.





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Microprocessor Lab  
Name of the Instrument : Digital Storage Oscilloscope (100MHz)  
Make : "Scientific"  
Model No. : SMO 502  
Serial no. : 3R3717. - 1no.

Date of Issue : 06.04.2021.

Approved Signatory

M. Jeyaraj  
Chief Executive Officer



AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND COMMUNICATION ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteet@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : ECE Dept. - Microprocessor Lab  
Name of the Instrument : Digital Storage Oscilloscope (100MHz)  
Make : "FALCON"  
Model No. : 100CIG  
Serial no. : 189. - 1no.

Date of Issue : 06.04.2021.

Approved Authority

M. Jeyaraj  
Chief Executive

AUTHORISED DEALER FOR



NVIS





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

## ELECTRICAL AND COMMUNICATION ENGINEERING

	<b>HI - TECH ELECTRONICS</b>	No.12/A,3 <sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn., Karumandabam, Trichy - 620 001. Phone : 0431 - 2481970 Mobile : 94 434 25367 E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G12H	Electrical Electronics Instrumentation Physics Chemistry
<b><u>Certificate of Testing</u></b>			
This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.			
Name of the College	:	M/S. MAM School of Engineering.	
Department / Lab	:	ECE Dept. - Microprocessor Lab	
Name of the Instrument	:	Function Generator (3MHz)	
Make	:	"Tech Lab"	
Model No.	:	TFG - 3000	
Quantity	:	15 nos.	
Date of Issue : 06.04.2021.			
Approved Signatory			
M. Jesu Raj Chief Executive Officer			
			
AUTHORISED DEALER FOR			
			
			
			
			
			





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



**HI-TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Wattmeter AC & DC  
Quantity : LPF (150/300V, 5/10A) – 10nos,  
(300/600V, 10/20 A)-04nos,  
(75/150/300V, 1A/2A)-04nos,  
: UPF (300/600V, 10/20A)-10nos,  
(150/300V, 5/10A)-08nos,  
(300/600V,5A/10A)-10nos,  
: power factor meter 300/600V, 10/20A- 4nos

Date of Issue : 12.04.2021

Approved Signatory

M. Jeyaraj  
Chief Executive



AUTHORISED DEALER FOR



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Ammeter AC & DC  
Quantity : (5/10) A- 01no, AC (10A) - 01no,  
DC (10A)- 02nos.

Date of Issue : 12.04.2021.

Approved Signatory

M. S. Senthilraj  
Chief Executive Officer

AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitec1@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Voltmeter DC  
Quantity : (15/30) V- 04nos, (150/300) V- 12nos,  
(300)V- 12nos, 600 V- 05nos,  
(300/600) V- 05nos.

Date of Issue : 12.04.2021.

Approved Signatory

M. Jesuraj  
94434 25367  
Chief Executive  
Trichy

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Voltmeter AC  
Quantity : (15/30) V- 03nos, (150/300) V- 10nos,  
(300)V- 10nos, 600 V- 15nos,  
(300/600) V- 05nos, (150/300/600) V -01no.

Date of Issue : 12.04.2021.

Approved Signatory

M. Jesu  
M. Jesu  
Chief Executive

AUTHORISED DEALER FOR



Scanned with CamScanner





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Ammeter DC  
Quantity : (2.5-5)A-10nos, (5-10)A-6nos,  
(10-20)A-15nos, (15-30)A-2nos,  
(1-2)A-4nos.

Date of Issue : 12.04.2021.

Approved Signatory

M. J. [Signature]  
M. J. [Name]  
Chief [Title]

AUTHORISED DEALER FOR





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Portable Analog Ammeter AC  
Quantity : (5-10)A-10nos, (10-20)A-10nos,  
(0.5-1)A-2nos, (1-2)A-2nos(0-10)A-5nos  
(0-20)A-6nos.

Date of Issue : 12.04.2021

Approved Signatory

M. Jeyaraj  
Chief Executive Officer

AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electrical Machines Lab.  
Name of the Instrument : Analog Voltmeter AC & DC Desk type  
Quantity : 1V - 4nos, 10V - 10nos, 30V- 4nos  
(0-15/30)V AC - 4 nos.

Date of Issue : 12.04.2021.

Approved Signatory

M. J. Jeyaraj  
Chief Executive

AUTHORISED DEALER FOR



NVIS







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A, 3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Control & Instrumentation Lab  
Name of the Instrument : Function Generator (1MHz).  
Make : “Scientech”  
Model No. : ST4060.  
Quantity : 11088282 – 1no.

Date of Issue : 12.04.2021.

Approved Signatory

M. Jesu  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – control & Instrumentation Lab.  
Name of the Instrument : Oscilloscope (30MHz)  
Make : “Scientific”  
Model No. : SM410  
Serial No. : 130822296 -1no.

Date of Issue : 12.04.2021.

Approved Signature



M. Suresh  
Chief Executive.

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanthi Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Power Electronics Lab.  
Name of the Instrument : Analog Oscilloscope (30MHz).  
Make : “Scientech” .  
Model : Caddo 801.  
Quantity : 7nos.

Date of Issue : 08.04.2021.

Approved Signatory

M. J. Suresh,  
Chief



AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Power Electronics Lab.  
Name of the Instrument : Analog Oscilloscope (25MHz)  
Make : "Scientech"  
Model No. : ST251D  
Serial No. : 3094319 & 3094329 - 2nos.

Date of Issue : 08.04.2021.

Approved Signatory

M. Jeyapalan  
Chief Executive Officer



AUTHORISED DEALER FOR



Scanned with CamScanner



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hitecl@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. –Electric circuits Lab  
Name of the Instrument : Digital Storage Oscilloscope (100MHz)  
Make : "RIGOL"  
Model No. : DS1052F  
Serial no. : DS1ET151708120 – 1no.

Date of Issue : 08.04.2021.

Approved by

  
M. J. SRINIVASAN  
Chief Executive

AUTHORISED DEALER FOR



Scanned with CamScanner



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electric Circuits Lab  
Name of the Instrument : Function Generator (1MHz)  
Make : “Jayam Electronics”  
Model No. : LCD200  
Quantity : 6nos.

Date of Issue : 08.04.2021.

Approved Sign

M. Jesuraj  
Chief Executive



AUTHORISED DEALER FOR







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.


Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. – Electric Circuits Lab.  
Name of the Instrument : Function Generator (2MHz).  
Make : "Scientific"  
Model No. : ING2000.  
Serial No. : 1211812 & 1211816 – 2nos.

Date of Issue : 08.04.2021.

Approved Signatory

M. J. Suresh  
Chief Executive

AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### ELECTRICAL AND ELECTRONICS ENGINEERING



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : EEE Dept. -Electric Circuits Lab  
Name of the Instrument : Oscilloscope (30MHz)  
Make : "Scientific"  
Model : SM 410  
Serial No : 130822309,312, 314,315,316,  
121120378 & 383,10095072  
11051631 & 645 - 10nos.

Date of Issue : 08.04.2021

Approved Signatory

M. J. Suresh  
Chief Executive Officer



AUTHORISED DEALER FOR



NVIS





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### SCIENCE AND HUMANITIES/PHYSICS



**HI - TECH  
ELECTRONICS**

No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : Dept of Science and Humanities/ chemistry  
Name of the Instrument : Digital pH meter-10nos,  
Digital Conductivity Meter-10nos,  
Digital Potentiometer-10nos,  
Digital UV-Visible Spectrophotometer- 01no,  
Flame Photometer-01no.

Date of Issue : 15.04.2021 .

Approved Signatory

M. Jesuraj  
Chief Executive

AUTHORISED DEALER FOR



NVIS







# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## CALIBRATION

### SCIENCE AND HUMANITIES/PHYSICS



No.12/A,3<sup>rd</sup> Cross, Vasanth Nagar, Viswas Nagar Extn.,  
Karumandabam, Trichy - 620 001.  
Phone : 0431 - 2481970 Mobile : 94 434 25367  
E.mail : hiteel@gmail.com / GSTIN:33AFDPJ5675G1ZH

Electrical  
Electronics  
Instrumentation  
Physics  
Chemistry

### Certificate of Testing

This is to certify that the model detailed below has been tested, calibrated using Standard Operating procedures and meets the published specifications. We further certify that the calibrating instruments used are traceable.

Name of the College : M/S. MAM School of Engineering.  
Department / Lab : Dept of Science and Humanities / Physics.  
Name of the Instrument : Analog Oscilloscope (30MHz)  
Make : "Scientech"  
Model No. : CADDO 801  
Serial No. : 11126588- 01no.

Date of Issue : 15.04.2021.

Approved Signatory

M. Jeyaraman  
Chief Executive



AUTHORISED DEALER FOR





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## ELECTRICAL MAINTENANCE

Date	DOWN TIME	UP TIME	Open hrs	Closing hours	Working hours	ADD Diesel	Down working propose	operator Name	PIOP/EEB
11/03/20	4-45pm	5-30pm	4836.6	4837.8	0.45	-	ES power cut	R. Selvaraj	
17/11/20	9-50	11-50		4939.2	2.00		EB power cut	Chin	
18/11/20	7-00	7-30				50			
23/11/20	7-00pm	8-00pm							
11/12/20	11-45am	12-15pm			0.30		ES power cut	Ajay	
29/12/20	10-40pm	11-20pm			0.30			C. Suresh	
29/12/20	5-20pm	8-20pm			3.00	50	PMKV Exam	Ajay	
7/01/21	11-00am	2-10pm		4955.4	3.10	50	PMKV Exam	Ajay	
22/01/21						50		Ajay	
23/01/21	8-30am	12-15pm			3.45		RRC EXAM	Ajay	
31/01/21	8-30am	11-30am			3.00		RRC EXAM	R. Selvaraj	
6/2/21	2-00pm	4-00pm			2.00		EB power cut	R. Selvaraj	
9/02/21	7-50am	8-20am		4965.7	0.30	50	EB power cut	R. Selvaraj	
10/02/21	9-30am	10-00am			0.30		EB power cut	C. Suresh	
15/02/21	2-00pm	2-30pm			0.30		EB power cut	C. Suresh	
16/02/21	9-10am	1-10pm		4967.4	4.00	100	ES Shutdown	Ajay	
16/02/21	1-50pm	5-30pm			3.40		ES Shutdown	Ajay	





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

Date	On time	Off time	Open hour	Close hour	working hour	ASP direct	Department	Operator name	MO/EEB
18/02/21	2:00pm	2:30pm			0:30		ES power cut	C. Supriya	
22/02/21	7:45am	9:15am			1:30	50	ES power cut	A. Arjun	
22/02/21	9:45am	10:05am			0:20		ES power cut	A. Arjun	
27/2/21	6-3:00pm	9-00pm			2:30		EPT power cut	R. Sankar	
2/3/21	8-15 AM	10:15am			2:00		MIT LAB 3 phase	R. Sankar	
19/6-21	10-30 AM	1-35			6-5		EPD power cut	R. Sankar	
11/07/21	7:35am	11:45am	5003.2	5003.4	4:10	10/07/21 100	MIT Exam	A. Arjun	
11/07/21	1:00pm	4:10pm	5003.4	5006.6	3:10		MIT Exam	A. Arjun	
11/08/21	9:45am	10:10am		5007.8	0:25		ES power cut	A. Arjun	
23/08/21	4:45pm	5:00pm	5007.8	5008.2	0:45		ES power cut	A. Arjun	
25/08/21	5:30pm	6:30pm	5008.2	5009.1	1:00		ES power cut	R. Sankar	
26/08/21	4:10pm	4:30pm	5009.1	5009.6	0:20	50	ES power cut	A. Arjun	
01/09/21	4:10pm	4:30pm	5009.1	5009.6	0:20		ES power cut	A. Arjun	
02/09/21	5:00pm	5:30pm	5009.6	5010.3	0:30		ES power cut	R. Sankar	
09/09/21	12:30pm	5:45pm	5010.3	5016.3	4:45		ES power cut	R. Sankar	
10/09/21	5:10pm	6:00pm		5016.3			ES power cut	R. Sankar	
11/09/21						50		A. Arjun	
16-9-21	5-30	6-06			0:30				
11/10/21	1:00pm	3:15pm		5019.7	2:15			A. Arjun	
17/10/21	5:00pm	6:30pm					ES power cut	R. Sankar	
20/10/21						50		A. Arjun	
21/10/21	12:00pm	1:15pm			1:15		ES power cut	A. Arjun (Supriya)	
9/12/21						50		A. Arjun	





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## Computer Lab Maintenance

S.NO	DATE	Name of Department	Nature of Problems	Problem Solved	Staff Sign	Enrolled Date	Principal
23	04/05/2020	Sube Pradip / AERO	Internet problem	Problem Solved	For	T. J. L 04/05/2020	
24	07/05/2020	M. Chandan Sekar / Exam cell	System Booting problem	Hard disk sector failure. Replaced hard disk and installed O.S and Basic Software	M. Chudhaly / T. J. L	T. J. L 07/05/2020	
25	12/05/2020	Dr. Arunima / MECHT.	SYSTEM PROCESS VERY SLOW	1st running software installed and then local disk. Now system working in good condition.	Shree / M. J.	T. J. L 12/05/2020	
26	18/05/2020	madhavi / Finance	TALLY Installation in Trustee ROOM	Tally installed and observed working in good condition	Madhavi	T. J. L 18/05/2020	
27	24/05/2020	Karthikeyan / OFFICE	System Booting Problem	Problem Solved System working in good condition	K. J. L	T. J. L 26/05/2020	
28	01/06/2020	B. Sridhar / EEE	M.S word NOT WORKING	Microsoft office reinstalled system and Ms office working in good condition	Problem Solved M. K. J.	T. J. L 01/06/2020	
29	06/06/2020	Kavitha / T.P	Printer NOT WORKING	Repaired the printer. Now Printer and System working in good condition	P. J. L	T. J. L 06/06/2020	
30	14/06/2020	HOD / MECH	System Problem	Replaced CMOS Battery. Now System working in good condition	For	T. J. L 14/06/2020	



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

S.No	Date	Name and Department	Nature of Problems	State	Problem Status	Engineer's Sign	Principal's Sign
30	19/06/2020	Meena/ meamems	Windows display	Done	New CMOS battery changed now system working in good condition.	[Signature]	
31	27/06/2020	Satvish/csa	Java not working in Richard lab	Done	Reinstalled Java Software. Now working in good conditions.	[Signature]	
32	6/08/2020	Sindhuja/ English	English Communication Lab 30 machines software installed.	S. Subhija	EL-client software 3/4 installed	[Signature]	
33	07/06/2020	"	"	S. Subhija	"	[Signature]	
34	08/06/2020	"	"	S. Subhija	"	[Signature]	
35	09/06/2020	"	"	S. Subhija	"	[Signature]	
36	14/06/2020 +0 19/06/2020	Mohan/ MBEH	ANSYS software not working	Done	In MAX Newman Lab 30 machines Ansys software installed	[Signature]	
37	01/07/2020	Ranjith Kumar/ mech	Cad software not working	Done	Reinstalled cad software now working in good condition.	[Signature]	
38	07/07/2020	Akshay/ MBEH	to machine booting problem in Richard Stallman lab	Done	Replace CMOS batteries. Now system working in good conditions.	[Signature]	
39	10/07/2020	Prayash/ Ece	System process very slow	Done	RT Antivirus installed and scanned. Now system working in good condition.	[Signature]	[Signature]





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

S.No	Date	Name Department	Nature of problems	Staff Sign	Problem status	Engineer's Sign	Principal Sign
75	26/01/22	ME6706/MECH	Printer Toner Dry Printer not working.		Toner Refilled Printer working in good condition A-SL	A-SL	
76	26/01/2022	ME6706/MECH	Printer not working. Reason due to toner Dry condition good now.		Toner Refilled. Now Printer working in good condition. good condition good condition	A-SL	
77	02/02/2022	ME6706/MECH					
78	10/02/2022						
79	10/02/2022						
80	11/02/2022	ME6706/MECH					
81	11/02/2022						



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

## UPS MAINTENANCE

No : 33AKUPD9472B1Z2 Cell : 99945 - 19576  
90809 - 79958

**INVOICE / CASH BILL**

**EVEREST POWER SOLUTION**  
Dealing : Inverter, batteries, UPS, Solar Powers and Accessories  
75, Pandiyan Street, Near "G" Corner Ground, Ranjeethapuram, TRICHY - 20.

Sold to M.A.M. SCHOOL OF ENGINEERING S.L. No. 220

Despatched to M.A.M. SCHOOL OF ENGINEERING P.O. No. 10/12/2021  
Date : 10/12/2021

Your Ref No. \_\_\_\_\_  
Date : \_\_\_\_\_

Mode of Despatch \_\_\_\_\_

S.No.	Description	Quantity	Total Amount	
			Rs.	Ps.
<u>1)</u>	<u>20 KVA ONLINE UPS</u>	<u>1</u>	<u>95,000</u>	<u>00</u>
			<b>Total</b>	<u>95,000/-</u>

Party's GST No. \_\_\_\_\_

Rupees NINETY FIVE THOUSAND ONLY

E & O.E. \_\_\_\_\_

Receiver the above goods in good condition

Signature [Signature]

**For EVEREST POWER SOLUTION**

**Authorized Signatory**

SGST : 9%  
CGST : 9%

Delivery Charges \_\_\_\_\_  
Rounded Off \_\_\_\_\_  
**GRAND TOTAL** 95,000/-





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

**YASHICA BATTERIES** no bright no worry  
 YASHICA BATTERIES (2020-2021)  
 40 C, MANIMUTHU VALAGAM,  
 SALAI ROAD,  
 WORAIYUR  
 Trichy-9443167774  
 GSTIN/UIN: 33AYSPA3173E2ZM  
 State Name : Tamil Nadu, Code : 33

**Tax Invoice**

Invoice No. YB/21-22/546  
 Delivery Note  
 Supplier's Ref. 20.12.2021  
 Buyer's Order No.  
 Despatch Document No.  
 Despatched through  
 Terms of Delivery

Dated 20-Dec-2021  
 Mode/Terms of Payment  
 Other Reference(s)  
 Dated  
 Delivery Note Date  
 Destination

Consignee  
**M.A.M SCHOOL OF ENGINEERING**  
 SIRUGANOOR

Buyer (if other than consignee)  
**M.A.M SCHOOL OF ENGINEERING**  
 SIRUGANOOR  
 State Name : Tamil Nadu, Code : 33

Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc %	Amount
1	EP42-12 (NEW BATTERY)	8507	20 NOS	3,125.00	NOS		62,500.00
				14 %			8,750.00
				14 %			8,750.00
							(-)22,700.00
							<b>₹ 57,300.00</b>
							E & O E

Less :  
 SGST@14%  
 CGST@14%  
 DISCOUNT

Amount Chargeable (in words)  
**INR Fifty Seven Thousand Three Hundred Only**

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
8507	62,500.00	14%	8,750.00	14%	8,750.00	17,500.00
Total	62,500.00		8,750.00		8,750.00	17,500.00

Tax Amount (in words) : **INR Seventeen Thousand Five Hundred Only**

Company's PAN : **AYSPA3173E**

Declaration  
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

for YASHICA BATTERIES (2020-2021)  
 Authorised Signatory

This is a Computer Generated Invoice

40-B, Manimuthu valagam, salai road Woraiyur, Trichy-3.    business@yashicabatteries.com    91532 33333



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

M.A.M. SCHOOL OF ENGINEERING							
100		Siruganur, Tiruchirappalli - 621105.					
STOCK REGISTER							
Name of Articles <u>ONLY UPS</u>				Cost Rate <u>65,000/-</u> <u>9% vat</u>			
DATE	PARTICULARS	V.No. or Bill No.	RECEIPT		ISSUED		BALANCE
			Quantity		Quantity	Quantity	
01/08/14	10 K.V.A SINGLE Phase 3 $\phi$ Power TRUE POWER online UPS	S/N NO: 138 Vol 44. 65,000/- (BHY BALK) FO WE PURCHASE	1				
10/12/20	20 K.V.A ONLINE UPS		1		1		
	Total cost						
	RS. 95,000/-						
	Sgst: 9%						
	Cost: 9%						
	(NINETY FIVE THOUSAND RUPEES ONLY)						
	20 K.V.A UPS (OFFICE)						
	SUPPLIERS:						
	Everest Power Solution						
	75, Pandiyar Street						
	Near G. Corner Ground						
	Ranjithapuram.						
	Trichy - 20						





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

M.A.M. SCHOOL OF ENGINEERING						
Siruganur, Tiruchirappalli - 621105.						
<b>STOCK REGISTER</b>						
Name of Articles <u>UPS BATTERIES</u> Cost Rate <u>RS. 57,300/-</u>						
DATE	PARTICULARS	V.No. or Bill No.	RECEIPT		ISSUED	BALANCE
			Quantity		Quantity	Quantity
20/12/2021	EP12-12 (New BATTERY)	40/21-22/ 546	20		20	-
	YASHICA Batteries, 40C Manimuthy VALAGAM  SALAJ ROAD TRICHY. 944316774 AMOUNT: (RS 57,300/- FIFTY SEVEN THOUSAND THREE HUNDRED ONLY)					

101



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)






## HOUSE KEEPING MAINTENANCE

ON DT 19.2.21

The following staff may be assigned inspection work to supervise the following places daily and to Report to the Principal.

Procedure

19.2.21

SNO.	Name	Places to be Inspected	Signature
1.	C. Srinivasulu	→ Hostels all verandas	 25/2/21
2.	M. Sathivel	→ 1. Main Bld all verandas 2. Hostel Hostels	 25/02/2021
3.	Dharmalingam	→ Main Bld Rest Room	 25/02/21
4.	Janis Mary	→ Hostel Bld Rest Room	 25/2/21
5.	A. Paulraj	→ Boys hostel Girls hostel	 25/2/21





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

26.2.21. Friday

	<u>Whether inspected</u>	<u>Defects if any</u>
1. E. Subraasaidan	YES/ NO YES	
2. M. Seulbil vel	YES	waste - Newspaper placed in the first and 2nd fls Varendahm
3. Dhanalaxmi	yes	
4. Jenis Mary	yes NO	not clean
5. A Paulraj	yes	Bathroom light on off 06:55am

Submitted for Perusal

26/2/21

PRINCIPAL



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

27.2.21 Saturday

SNO.	Name of the Staff	Whether inspected YES/NO.	Remarks
1.	C. Subramaniam	Yes	—
2.	M. Senthil vel	Yes	—
3.	A. Paulraj	Leave	—
4.	Dhanalaxmi	No ?	—
4.	Louis Mary	Yes ? No ?	Toilet not clean

JB  
27/2/2021

PRINCIPAL





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)

1.3.2021 MONDAY

SNO.	Name of the Staff	Whether inspected YES/NO	Remarks if any.
1.	C. Subramanian	YES.	eg. floor. Right Side. to be cleared.
2.	M. Senthilvel	yes	-
3.	A Paul Raj.	leave -	
4.	Dharmalaxmi	yes	Toilet not clean
4.	Jessy Mary <u>Annex</u>		

clean

1.3.2021  
ES

  
PRINCIPAL



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

2.3.20

<u>Sno</u>	<u>Name of the Staff</u>	<u>whether Inspected</u> YES/NO	<u>Remarks if any</u>
1.	C. Subramanian	Yes	—
2.	A. Paulraj	—	—
3.	M. Senthilvel	No	—
4.	K. Dharmalingam	Yes	cleaned main building
5.	Lesis Nancy	Yes	Annexure Toilet not clean





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

9.3.21

SNO.	Name of the Staff	Whether Inspected or not	Remarks if any
1.	C. Subramanian	yes	NIL etc
2.	A. Paulraj	leave	
3.	M. Sathivel	yes	waste papers to be cleaned in 11/12 street floor Varendam
4.	K. Dharmadom	yes	cleaned main building
5.	Jeni Mary	yes	Annexure E, Ladies Toilet Not Clean

20  
9.3.21

**PRINCIPAL** PRINCIPAL



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai


Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

10-3-21

S.No.	Name of the Staff	Whether inspected YES/NO	Remarks if any
1.	C. Sathya Narayanan	leaf	-
2.	A. Paulraj	leaf	-
3.	M. Sathya Narayanan	yes	waste papers & paper one not cleaned. (disposed the papers to clean)
4.	K. Dhandasudhan	yes	cleaned main building
5.	Lois Mary	yes	Annexure ladies toilet <u>Not Clean</u>

10/3/21  
10/3/21

  
PRINCIPAL



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

11.3.21

SNO.	Name of the Staff	Whether Inspected YES/NO	Remarks	Signature
1.	C. Subramanian		Not Inspected - Absence -	
2.	A. Paulraj			
3.	M. Senthilvel	Yes	II <sup>nd</sup> & III <sup>rd</sup> Floor, Opposite of Academic Lab (I <sup>st</sup> Floor), Dusted Paper Pieces not removed	
4.	K. Dharmalaxmi	→ yes	Not Inspected cleaned Annexe building	
5.	Jessy Mary.			

DS  
11.3.21

**PRINCIPAL**





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

FRIDAY 12.3.21 2 MAR 2021

SNO.	NAME of the Staff	Whether inspected YES/NO	Remarks	Signature
1.	C. Srinivasan	NO		
2.	A. Paulraj	leave		
3.	M. Subbivel	yes	Heavy Sand Dust in the 11th floor Vardah. waste not removed on 11th Floor.	
4.	K. Dhanalaxmi	NO		
5.	SasiNaray	yes	Annexure Building toilet NOT Clean	

12/3/21

PRINCIPAL



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

13.3.21 Saturday

SNO.	Name.	Whether Inspected? YES/NO.	Remarks	Signature
1.	C. Suresh Kumar	Yes ✓	NIL	ch
2.	A. Paul Raj	leave	—	
3.	M. Sankarivel	Yes ✓	NIL	g
4.	K. Dharmalingam	leave		
5.	Jayaraman	NO. ?		

as  
13/3/21.

PRINCIPAL



# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

18.x.21 TO 23.x.21

18.x.21 : திருக்கடிகழமை 1. கையாள்

1. வெள்ளம்
2. வெள்ளம் - வெள்ளம்
3. யதா - கையாள்
4. வெள்ளம் - வெள்ளம்
5. வெள்ளம் - கையாள்
6. திருக்கடிகழமை வெள்ளம்

for order

16/10/21  
OS

25.x.21 TO 30.x.21

25.x.21 - திருக்கடிகழமை	1. வெள்ளம்
26.x.21 - வெள்ளம்	1. கையாள்
27.x.21 - யதா	1. வெள்ளம்
28.x.21 - வெள்ளம்	1. வெள்ளம்
29.x.21 - வெள்ளம்	1. வெள்ளம்
30.x.21 - திருக்கடிகழமை	1. வெள்ளம்

for order

PRINCIPAL

PRINCIPAL





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### Fire Safety Maintenance

17

**FIRE SERVICE LICENSE**  
(Under Section 13 of Tamil Nadu Fire Service Act 1985 read with Tamil Nadu Fire Service  
(Rules 1990 Appendix III))

No: 187/2021  
LICENCE NO : 1898/C1/2019  
Date : 18.03.2021


License is hereby granted under section 13 of the Tamil Nadu Fire Service Act, 1985, For  
Selling / Storing / Processing Pressing / Transporting of Fire Works / Crackers / Petroleum  
items / LPG Gas Cylinders / Explosives / other items. **SCHOOL OF  
ENGINEERING** (mention whichever is applicable) within the jurisdiction of  
**THIRUCHIRAPPALLI** Municipality / Panchayat / Corporation at the premises **S.F.No.**  
**TRICHY – CHENNAI TRUNK ROAD, SIRUGANUR VILLAGE** Taluk / Town  
**MANNACHANALLUR** District **THIRUCHIRAPPALLI**. Subject to the conditions  
noted thereon and such other conditions as may be prescribed Inspected by:- STATION  
OFFICE, SRIRANGAM (TRANSPORT) ON 15.03.2021 This license is valid for one year  
from the date of issue.


**CONDITIONS**


As per Col. 13 of Appendix V to the Rules under Section 13 of the Act.

1. Height of the Building 12.00 Mtrs, No. of Floors - GF+3 Floor Only.
2. Fire extinguishers installed in the premises should be maintained properly.
3. All Provided fire fighting measures to be maintained properly and periodically.
4. Regular License has to be obtained from the Competent authority.
5. All Fixed installation should be maintained properly as per NBC-2016.
6. Register of Fire extinguishers and Register of mock drill should be maintained as per form I & III respectively.
7. (Off site emergency) Mock drill should be conducted every year.
8. Elementary fire fighting training should be given to the employees from fire service department.
9. A Board bearing the phone number of the Fire & Rescue station and other emergency number should be displayed in the premises.
10. House keeping should be neat and clean.  
(Office Seal with Date.)

To,  
The Director,  
M.A.M. SCHOOL OF ENGINEERING,  
Trichy - Chennai Trunk Road,  
Siruganur Village, Mannachanallur Taluk,  
Trichy - 621 105.



District Officer,  
Fire and Rescue Service,  
Tiruchirappalli.  


PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRUGANUR, TIRUCHIRAPPALLI-621 105.  




## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### Building Structural Stability Certificate

**Er. B. JAYACHANDRAN, B.E., M.S.c (Val), M.I.E., F.I.V., Branch office:**  
Chartered Civil Engineer & Registered Valuer,  
**JAI ENGINEERS,**  
7, Old Market Street, (behind Salem Corporation)  
Fort, Salem - 636 001.  
Phone: 2222377 / 2224558, Cell: 94432- 44456.  
E-mail address: [jaiengineersslm@gmail.com](mailto:jaiengineersslm@gmail.com)

Shop No :6, Sanjay Regale,  
4, Reynolds Road, Cantonment,  
Tiruchirapalli - 620 001.  
Phone :043 - 2411284/ 4001100  
Mob : 94439 - 22017.

Ref.No:01/SSC/TRY/09/19

Dated : 01.08.2019

#### FORM - A

( Form of application under sub - section (1) sub - section (2) of section 4 of the Madras Public Buildings (Licensing) Act.1965 (Madras Act 13 of 1965) referred to in rule 3 of the Madras Public Buildings (Licensing) Rules, 1966)

From.

**THE CHAIRMAN,  
MALUK EDUCATIONAL HEALTH AND CHARITABLE TRUST.,  
M.A.M SCHOOL OF ENGINEERING,  
Trichy - Chennai Trunk Road,  
Siruganur, Tiruchirapalli - 621 105.**

To.

**The Tahsildar,  
Taluk Office, Mannachanallur.**

Sir,

I intend/to use the building/to continue to use the existing public building/to use the existing building not at present used as a public building/which is situated in the site or plot of land, Town or Revenue Survey No. S.F.No : 584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5 ( As per VAO Certificate ) Street or Road Trichy - Chennai Trunk Road in Siruganur Village the ward or division/village/taluk / district Mannachanallur Taluk, Tiruchirapalli District and specified in the statement enclosed, as a public building for a period of **Three Years** from the **16.09.2019 to 15.09.2022.**

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as public building are also furnished in the statement accompanying this application

3. I enclose a Chalan for Rs. \_\_\_\_\_

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Engineer Sri. B. JAYACHANDRAN B.E., M.Sc (Val), M.I.E., F.I.V.,

(or)

Dated the \_\_\_\_\_

Signature of the owner of the building.

Enclosures: (1) Statement

(2) Chalan for Rs. \_\_\_\_\_ Towards the application fee.

"Explanation:" Separate application shall be made in respect of each building"

M.A.M. SCHOOL OF ENGINEERING  
SIRUGANUR, TIRUCHIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### R.C.C.FRAMED STRUCTURE FOR GROUND + 3 FLOORS

- (a) Foundation : Isolated RCC Columns, Column base and footing in 1:2:4 Mix with necessary reinforcements over plain cement concrete 1:5:10 mix and sand cushion.
- (b) Basement : R.C.C columns and Tie beams in 1:2:4 Mix concrete with Necessary reinforcement.
- (c) Superstructure : Brick wall interlinked with R.C.C Columns and beams and Lintel level beams and sunshades in RCC 1:2:4 mix with necessary reinforcement. Partition Walls are brick work in Cement Mortar. The Staircase with RCC Walls Slab and Steps with Brickwork and Partly Plastered in Cement Mortar. Corridor with RCC Circular Columns and Interlinked with beams. The Joineries Country Wood Flush Doors, Windows are Aluminium Framed with Glazed and Grill Windows. Ground Floor Board Room, First Floor Computer Hall False Ceiling with Plaster of Paris. Other Floor Doors are Country Wood Framed with Flush Doors, Alu.Framed Glazed Windows, Grills Provided. Office Internal Partition with Alu.Framed with Glazing. Walls and Ceiling Staircase are Plastered in Cement Mortar and top finished with White and Colour Washing.
- (d) Floor : Flooring in CC 1:5:10 Mix and top finished with Marble Tiles, Vitrified Tiles for Ground Floor, Office, Lab, etc. Corridor floor is finished with Marble Tiles. First Floor Computer Lab floors are finished with Marble Tiles, Vitrified Tiles, Corridor floors are finished with Shahabad Slabs. Other area floors are finished with Cement Mortar with required thickness. Toilet floors are finished with Ceramic Tiles and Side Walls Dadoing with Glazed Tiles.
- (e) Roof : All Floors are covered RCC slab and beam in 1:2:4 Mix concrete with necessary reinforcements and supported with "T" Beams. Corridors are covered with RCC Slab and supported with "T" Beams and RCC Circular Columns. In Portico Centre Portion Covered with Poly Carbonate Sheets supported with MS 'L' angles. The Staircase Head Rooms are Covered with R.C.C Roof Slab.

PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai


Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

8. Period of which license is required : From 16.09.2019 to 15.09.2022  
for Three Years



9. Number of persons to be accommodated. : Students - 600 + Staff - 60  
Total = 660 Persons  
( Six Hundred and Sixty Persons Only )

Dated: 01.08.2019.

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
Tamil Nadu Government,  
7, Old Market Street, (behind Salem Corporation)  
Fort, Salem - 636 001.

Dated:

Signature of the owner of the Building.

  
  
PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRUGANUR, TIRUCHIRAPPALLI-621 105.



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)

### FORM - B

(Form of certificate of structural soundness under sub-section (4) of section 4 of the Chennai Public Building (Licensing) Act, 1965 (Chennai Act.13 of 1965) referred to in rule 4 of Chennai Public Buildings (Licensing) Rules, 1965)

I certify that I have inspected the building mentioned in the statement below and I have satisfied myself that the building is structurally sound to be used as a public Building for the purpose noted in the statement. The structural soundness of the building has been verified taking into account the Leading as per the latest Indian standards 875. A license may be granted for the period from **16.09.2019** to the **15.09.2022** (inclusive) for **Three Years**.

Dated: 01.08.2019.


  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,

#### Statement To Accompany The Certificate of Structure Soundness

Location of the building ( Door numbers, street Number and name of place) (1)	Age of the building (2)	Purpose for which the building can be used (3)	The period for which the building will be structurally sound (4)	Number of persons to be accommo dated (5)	Remark (6)
<b>M.A.M SCHOOL OF ENGINEERING., S.F.No.584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5, Trichy - Chennai Trunk Road, Sirugaur Village, Mannachanallur Taluk, Tiruchirappalli District. <b>Area Details :</b> G. Floor : 17,840 Sq.ft F. Floor : 17,840 Sq.ft S. Floor : 17,840 Sq.ft T. Floor : 17,840 Sq.ft</b>	2011  8 Years	Office, Labs, Library, Passage, Drawing Hall, Lecture Hall, Computer Lab, & Boys and Girls Toilet	<b>From 16.09.2019 to 15.09.2022 for Three years</b>	<b>Students 600 + Staff - 60  Total 660 Persons</b>	---

Dated: 01.08.2019.

Proceedings of the Collector  
Trichirappalli Dt.  
RC.Dl. 33964/88. Dt. 9.6.89

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
7, Old Market Street,  
Fort, Salem - 636 001.

PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRUGANUR, TRICHIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### FORM C

(Form of opinion under sub-section (1) of section 5 of the Madras Public Buildings (Licensing) Act 1965, Madras Act 13 of 1965), referred to in rule 5 of the Madras Public Building (Licensing) Rules, 1966)

I have inspected the building specified in the statement below and I have satisfied myself that the building structurally sound to be used as a public building for the purpose specified in the statement. The structural soundness of the building has been verified taking into account the loading as per the latest Indian Standards 875 I am therefore of the opinion that a license may be granted for the period from the **16.09.2019** to the **15.09.2022** (inclusive) for Three years.

Dated: 01.08.2019.

*[Signature]*  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,

#### STATEMENT TO ACCOMPANY THE OPINION REGARDING STRUCTURAL SOUNDNESS

Location of the building (Door numbers, street. Number and name of place) (1)	Age of the building (2)	Purpose for which the building can be used (3)	The period for which the building will be structurally sound (4)	Number of persons to be accommoda ted (5)	Remark (6)
<b>M.A.M SCHOOL OF ENGINEERING.,</b> S.F.No.584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5, Trichy - Chennai Trunk Road, Sirugaur Village, Mannachanallur Taluk, Tiruchirappalli District. <b>Area Details :</b> G. Floor : 17,840 Sq.ft F. Floor : 17,840 Sq.ft S. Floor : 17,840 Sq.ft T. Floor : 17,840 Sq.ft	2011  8 Years	Office, Labs, Library, Passage, Drawing Hall, Lecture Hall, Computer Lab, & Boys and Girls Toilet	From <b>16.09.2019</b> to <b>15.09.2022</b> for <b>Three years</b>	<b>Students</b> <b>600</b> + <b>Staff - 60</b> ----- <b>Total</b> <b>660</b> <b>Persons</b> -----	---

Dated: 01.08.2019.

Proceedings of the Collector  
Trichirappalli Dt.  
R.C.Di. 33964/88. Dt. 9.6.89

*[Signature]*  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
7, Old Market Street,  
Fort, Salem - 636 001.

M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### STATEMENT ACCOMPANYING FORM A.

1. Door number of building. : M.A.M School of Engineering-  
( Annexure Building )
2. Location (Street number, Ward number, Name of place, i.e., Corporation / Municipality / Panchayat / Panchayat union / Township / Panchayat / Panchayat union / Township / Cantonment.) : S.F.No : 584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5, Trichy - Chennai Trunk Road, Siruganur Village, Mannachanallur Taluk, Tiruchirappalli District.
3. Year of construction. : Ground Floor - 2010 to 2011  
First Floor - 2011 to 2012  
Second Floor - 2012 to 2013  
Third Floor - 2016 to 2017  
Lab Building - 2017

4. Approximate cost of construction as per current rates. : **Rs.4.50 Crore.**

**Area Details: ( R.C.C Terraced Roof ) - Annexure Building**

Ground Floor : 30,615 Sq.ft  
First Floor : 30,615 Sq.ft  
Second Floor : **17,800 Sq.ft**  
Third Floor : **4,200 Sq.FT**  
Lab Building : 2,400 Sq.Ft ( G.F ) - Galvanium Sheet Building  
Total Area : **85,630 Sq.ft**

5. Purpose for which the building is being used or proposed to be used. : For Educational Purpose

**Usage of Floors: Lab Blocks**

Ground Floor : CSE Labs, EEE Labs, Facility Room, Corridor, Portico, Mechanical Labs, Mechanical Engineering Work Shop, Thermal Engineering Lab, Girls Toilet & Staircase, etc.

First Floor : Lecture Hall, EEE Lab, HOD Room, Mechanical Engineering Work Shop, Aero Lab, Girls Common Room, Drawing Hall, Dynamics Lab, Metrology Lab & Corridor.

Second Floor : Seminar Halls, Lecture Halls, Staff Room, Front Side Staircase, Girls Toilet & Corridor.

Third Floor : Lecture Halls, and Class Rooms.

PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

6. Purpose for which the building has either to been used. : For Educational Purpose

7. Details of construction of the building Particulars of the foundation soil, specification of the various parts under

### R.C.C FRAMED STRUCTURE FOR GROUND + 2 FLOORS

- (a) Foundation : Isolated RCC Columns, Column base and footing in 1:2:4 Mix with necessary reinforcements over plain cement concrete 1:5:10 mix and sand cushion.
- (b) Basement : R.C.C columns and Tie beams in 1:2:4 Mix concrete with Necessary reinforcement.
- (c) Superstructure : Brick wall interlinked with R.C.C Columns and beams and Lintel level beams and sunshades in RCC 1:2:4 mix with necessary reinforcement. Partition Walls are brick work in Cement Mortar. The Staircase with RCC Walls Slab and Steps with Brickwork and Partly Plastered in Cement Mortar. Corridor with RCC Circular Columns and Interlinked with beams. The Joineries Country Wood Flush Doors, Windows are Aluminium Framed with Glazed and Grill Windows. Ground Floor Board Room, First Floor Computer Hall False Ceiling with Plaster of Paris. Other Floor Doors are Country Wood Framed with Flush Doors, Alu.Framed Glazed Windows, Grills Provided. Office Internal Partition with Alu.Framed with Glazing. Walls and Ceiling Staircase are Plastered in Cement Mortar and top finished with White and Colour Washing.
- (d) Floor : Flooring in CC 1:5:10 Mix and top finished with Marble Tiles, Vitrified Tiles for Ground Floor, Office, Lab, etc. Corridor floor is finished with Marble Tiles. First Floor Computer Lab floors are finished with Marble Tiles, Vitrified Tiles, Corridor floors are finished with Shahabad Slabs. Other area floors are finished with Cement Mortar with required thickness. Toilet floors are finished with Ceramic Tiles and Side Walls Dadooing with Glazed Tiles.

M.A.M. S. OF ENGINEERING  
SIRUGANUR, TRICHRIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)


(e) Roof : All Floors are covered RCC slab and beam in 1:2:4 Mix. concrete with necessary reinforcements and supported with "T" Beams. Corridors are covered with RCC Slab and supported with "T" Beams and RCC Circular Columns. In Portico Centre Portion Covered with Poly Carbonate Sheets supported with MS 'L' angles. The Staircase Head Rooms are Covered with R.C.C Roof Slab.


8. Period of which license is required : From 16.09.2019 to 15.09.2022  
for Three Years

10. Number of persons to be accommodated. : Students - 650 + Staff - 80  
Total = 730 Persons  
( Seven Hundred and Thirty Persons Only )

Dated: 01.08.2019.

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
Tamil Nadu Government,  
7, Old Market Street, (behind Salem Corporation)  
Fort, Salem - 636 001.

Dated:   
Signature of the owner of the Building.

  
PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TRICHIRAPPALLI-621 105.





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)

## FORM - B

(Form of certificate of structural soundness under sub-section (4) of section 4 of the Chennai Public Building (Licensing) Act. 1965 (Chennai Act.13 of 1965) referred to in rule 4 of Chennai Public Buildings (Licensing) Rules.1965)

I certify that I have inspected the building mentioned in the statement below and I have satisfied myself that the building is structurally sound to be used as a public Building for the purpose noted in the statement. The structural soundness of the building has been verified taking into account the Leading as per the latest Indian standards 875. A license may be granted for the period from **16.09.2019** to the **15.09.2022** (inclusive) for **Three Years**.

Dated: 01.08.2019.


  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,


### Statement To Accompany The Certificate of Structure Soundness

Location of the building (Door numbers, street. Number and name of place) (1)	Age of the building (2)	Purpose for which the building can be used (3)	The period for which the building will be structurally sound (4)	Number of persons to be accommodated (5)	Remark (6)
<b>M.A.M SCHOOL OF ENGINEERING,;</b> S.F.No.584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5, Trichy - Chennai Trunk Road, Sirugaur Village, Mannachanallur Taluk, Tiruchirappalli District. <b>Area Details:</b> G. Floor : 30,615 Sq.ft F. Floor : 30,615 Sq.ft S. Floor : 17,800 Sq.ft T.F loor : 4,200 Sq.Ft Lab Blnq : 2,400 Sq.Ft	2011, 2012, 2013&2017  8, 7, 5 & 2 Years	Labs, Workshop, Corridor, Lecture Hall, Portico, Common Room & Toilets.	<b>From</b> <b>16.09.2019</b> <b>to</b> <b>15.09.2022</b> <b>for</b> <b>Three years</b>	<b>Students</b> <b>650</b> <b>+</b> <b>Staff - 80</b> ----- <b>Total</b> <b>730</b> <b>Persons</b> -----	---

Dated: 01.08.2019.

Proceedings of the Collector  
Trichirappalli Dt.  
RC.Dt. 33964/88. Dt. 9.6.89

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
7, Old Market Street,  
Fort, Salem - 636 001.

  
PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)

### DECLARATION

I, B. Jayachandran, son of O.K.R. Balakrishna Chetty residing at 52, NO.2 Pillaiyar Koil Street, Gugai, Salem -6. Do hereby declare that I possess the qualification and experience specified in the Table to rule II of the Chennai Public Buildings (Licensing) Rules, 1966 for issuing the certificate of Structural Soundness of the building covered by the certificate.

Station: Tiruchirapalli.

Dated : 01.08.2019.

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.

1. Name and Address (in Block letters)  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.
2. Engineering Qualifications :  
B.E., M.I.E., F.I.V.,
3. Number of years of experience and nature there of:
  - (1) More than 30 years service in Civil Engineering Field.
  - (2) Registered Value of Income-Tax wealth Tax of Govt. of India. Regn.No. C1/4/88
  - (3) Registered Engineer Grade 1-A of Tamil Nadu Government to issue soundness Certificate for the Public Buildings of any Value.


As per

Proceedings of Tiruchirapalli District Collector No. R. Dis. D1.33964/88, dt.09.06.89.

- (4) Licenced Building Surveyor and Approved Valuer for Nationalized Banks And Schedule Banks.
- (5) Approved Engineer for L.I.C., I.O.C., T.I.I.C.

\*\*\*\*\*  
Remarks:

1. This Certificate does not holds or ensures the responsibility for the Stability of The building Structure due to Natural Calamities like Earth Quake, Gale Cyclone and Tsunami
  2. The subsequent addition and alteration of the building should be done only With Prior information to the certifying authority.
- \*\*\*\*\*

  
PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.





# M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.


[www.mamse.in](http://www.mamse.in)

## FORM C

(Form of opinion under sub-section (1) of section 5 of the Madras Public Buildings (Licensing) Act 1965, Madras Act 13 of 1965), referred to in rule 5 of the Madras Public Building (Licensing) Rules, 1966)

I have inspected the building specified in the statement below and I have satisfied myself that the building structurally sound to be used as a public building for the purpose specified in the statement. The structural soundness of the building has been verified taking into account the loading as per the latest Indian Standards 875 I am therefore of the opinion that a license may be granted for the period from the **16.09.2019** to the **15.09.2022** (inclusive) for Three years.

Dated: 01.08.2019.


  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,

### STATEMENT TO ACCOMPANY THE OPINION REGARDING STRUCTURAL SOUNDNESS

Location of the building (Door numbers, street. Number and name of place) (1)	Age of the building (2)	Purpose for which the building can be used (3)	The period for which the building will be structurally sound (4)	Number of persons to be accommo- dated (5)	Remark (6)
<b>M.A.M SCHOOL OF ENGINEERING.,</b> S.F.No.584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5, Trichy - Chennai Trunk Road, Sirugaur Village, Mannachanallur Taluk, Tiruchirapalli District. <b>Area Details :</b> G. Floor : 30,615 Sq.ft F. Floor : 30,615 Sq.ft S. Floor : 17,800 Sq.ft T.Floor : 4,200 Sq.Ft Lab Blg : 2400 Sq.Ft	2011, 2012, 2013 & 2017  8, 7, 5 & 2 Years	Labs, Workshop, Corridor, Lecture Hall, Portico, Common Room & Toilets.	<b>From</b> <b>16.09.2019</b> <b>to</b> <b>15.09.2022</b> <b>for</b> <b>Three years</b>	<b>Students</b> <b>650</b> <b>+</b> <b>Staff - 80</b> ----- <b>Total</b> <b>730</b> <b>Persons</b> -----	---

Dated: 01.08.2019.

Proceedings of the Collector  
Trichirapalli Dt.  
RC.Dt. 33964/88. Dt. 9.6.89

  
Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V.,  
Chartered Civil Engineer,  
Registered Panel of Engineer Grade 1 - A,  
7, Old Market Street,  
Fort, Salem - 636 001.

PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.





## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

### FORM - E

(Form of Report to be made to the competent authority by inspecting authorities or officers appointed under other Act Under Section 28 of the Madras Public Building Licensing ) Act 1965 ( Madras Act 13 of 1965 ) Referred to in rule 7 of the Madras Public Buildings Licensing Rules 1966.

1. Name and designation of Inspecting Authority Or Officer appointed or having Jurisdiction Under any other act or law. : Er. B. JAYACHANDRAN, B.E., M.I.E., F.I.V., Chartered Civil Engineer & Registered Valuer, M/s. JAJ ENGINEERS, No.7, Old Market Street, (Behind Salem Corporation) Fort, Salem - 636 001.
2. Location of the building inspected D.No. Street Number, Name of the place, i.e. Municipal Corporation / Municipality / Panchayat or Panchayat Union / Township / cantonment. : **M.A.M SCHOOL OF ENGINEERING.,** S.F.No.584/1, 584/3, 584/5A, 584/5B, 585/2, 586/2, 586/3, 586/4, 586/5 Trichy - Chennai Trunk Road, Siruganur Village, Mannachanllur Taluk, Tiruchirappalli District.
3. Date of Inspection : 31.07.2019
4. Purpose for which the building is used. : For Educational Purpose
5. Nature of defects noticed. : Nil
6. Suggestion for rectifying defects. : Nil
7. If in a dangerous condition, immediate action Recommended to be taken. : Does not arise.

DATE : 01.08.2019

Signature of Inspecting Authority Officer  
Appointed or having jurisdiction.

**Er. B. Jayachandran, B.E., M.I.E., F.I.V.**  
Chartered Engineer & Registered Valuer

MUNICIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRIGANUR, TIRUCHIRAPPALLI-621 105.



## M.A.M. SCHOOL OF ENGINEERING

Accredited by NAAC

Approved by AICTE, New Delhi; Affiliated to Anna University, Chennai

Siruganur, Trichy -621 105.

[www.mamse.in](http://www.mamse.in)

PROCEEDINGS OF THE COLLECTOR TRICHIRAPPALLI  
PRESENT : THIRU M.R. JALAL, I.A.S.,  
No. Dt. 33964/88 dated 9.6.89.

Sub: BUILDINGS - Tamil Nadu Public Buildings(Licensing)  
Rules 1965 - Drawing of panel of Registered  
Engineers under rule 11 - Application of  
Thiru B.Jeyachandran to include his name in  
the panel - Ordered.

Read: 1. Application dated 21.6.88 of Thiru B.Jayachandran,  
Salem.  
2. Other connected records.

\*\*

### Order

The name of Thiru B.Jeyachandran, B.E., M.I.E.,  
Chartered Civil Engineer, No 2, Pillayarkoil Street,  
Gugai, Salem is included in the panel of private  
practising Registered Engineers of Trichy District,  
mentioned in this office with the approval of the  
Board of Engineers, as laid down under rule 11 of the  
Tamilnadu Public Buildings(Licensing) Rules 1966 for  
the issue of structural soundness certificate for  
public buildings under the Tamil Nadu Public Buildings  
(Licensing) Act 1965.

2. He is registered under the category of  
Class I-A Engineer (monetary limit exceeding Rs.10 lakhs).

/By order/

Sd.G.Balasubramanian,  
For Collector.

*[Signature]*  
18.6.89  
Huzur Head Assistant-D

To  
Thiru B.Jeyachandran, B.E., M.I.E.,  
Chartered Civil Engineer,  
No 2, Pillayarkoil Street,  
Gugai, Salem-6

Copy to: The Personal Assistant (PD) to Collector, Trichy  
for information  
Copy to Di (SE)  
Copy to Di.

*[Signature]*  
PRINCIPAL  
M.A.M. SCHOOL OF ENGINEERING  
SIRUGANUR, TRICHIRAPPALLI-621 105.